US-PGPUB; 2005/03/03 16:32 2005/03/03 2005/03/0			(1000004700041)		
BRS 356 (@ad<"20010222") ad. and (application ad)3 service ad)3 provider) US-PGPUB, DERWENT; IBM TOB US-PGPUB, US-PGPUB, DERWENT; IBM TOB US-PGPUB, US-PG	BRS	2	("20020178081").pn.	US-PGPUB;	2005/03/03
BRS 356 (@ad<"20010222").ad. and (application ad)3 service ad)3 provider) US-PGPUB; US-P					16:32
BRS 356 (@add="20010222").ad. and (application adj3 service adj3 provider) and regist\$a and regist\$a and regist\$a and regist\$a and regist\$a and (utiliz\$5 or using or use or usage) near5 (fee charge) and (duration length) US-PGPUB: U				DERWENT;	
BRS 2	·			IBM TDB	
BRS 2	BRS	356	(@ad<"20010222").ad. and (application adi3 service adi3 provider)	US-PGPUB:	2005/03/03
BRS 26					
BR TOB					10.01
BRS 26				•	
BRS 2 ("5892900"),pn. ("5892900"),pn. and (spreadsheet)	BBC	26	(@add 20040222) ad and (annihation adi2 annihation)		0005/00/00
Charge) and (duration length) DERWENT; IBM TDB I	BKS	20		•	
BRS 2					16:47
BRS 2			charge)) and (duration length)	•	
BRS 1 ("5892900"),pn. and (spreadsheet) US-PGPUB; US-PGPUB					
Charge) and (duration length)	BRS	2		•	
BRS 12 (@ad<"20010222").ad. and (application adj1 service adj1 provider) US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM TDB US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; IBM TDB US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM TDB US-PGPUB; US-PAT; EPO; JPO; DERWE				USPAT; EPO; JPO;	16:46
BRS 12 (@ad="20010222").ad. and (application adj1 service adj1 provider) and regist\$6 and (futiliz\$5 or using or use or usage) near5 (fee charge)) and (durition length) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB US-PGPUB; USPAT; EPO; JPO; DE			charge)) and (duration length)		
BRS 2 "5892900").pn. US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM TDB US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM TD				IBM_TDB	
BRS 2	BRS	12	(@ad<"20010222").ad. and (application adj1 service adj1 provider)	US-PGPUB;	2005/03/03
Charge) and (duration length)		•		USPAT: EPO: JPO:	
BRS 2					
BRS 2			gey, and (an anon long an)	•	
BRS 0	BRS	2	("5892900") pp		2005/03/03
BRS 0	5.10	-	(0002000).pm.		
BRS 0					10.55
BRS 0					
USPAT; EPO; JPO; DERWENT; IBM TDB US-PGPUB; US-PGPUB; US-PGPUB;	DDC	^	(5000000)		0007/00/0
BRS 1	BK2	U	(".5892900").pn.		
BRS 1					10:05
BRS 1			•		
BRS 0				IBM_TDB	
BRS 0	BRS	1	("5892900").pn. and (spreadsheet)	US-PGPUB;	2005/03/04
BRS 0			•	USPAT; EPO; JPO;	10:38
BRS 0				DERWENT:	
BRS 0			·		
BRS 1	BRS	0	("5892900").pn. and ((appl\$5) adi3 (service adi2 provider))		2005/03/04
BRS 1			((====================================	•	
BRS 1					10.00
BRS 1					
BRS 0	BRS	1	("5802000") pp. and ((service adi2 provider))		2005/02/04
DERWENT; IBM_TDB	51.0	,	(3092900).pn. and ((service adjz provider))		
BRS 0					10:12
BRS 0 ("5892900").pn. and ((bench\$1mark)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB 2005/03/04 BRS 0 ("5892900").pn. and ((bench\$1mark\$4)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB 2005/03/04 BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider))				· ·	
BRS 0 ("5892900").pn. and ((bench\$1mark\$4)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04		_	((500000))		
BRS 0 ("5892900").pn. and ((bench\$1mark\$4)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application USPAT; EPO; JPO; DERWENT; IBM_TDB BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 DERWENT; IBM_TDB) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and (US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04	RKS	U	("5892900").pn. and ((bench\$1mark))		
BRS 0 ("5892900").pn. and ((bench\$1mark\$4)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application DERWENT; IBM_TDB BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 DERWENT; provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04					10:13
BRS 0 ("5892900").pn. and ((bench\$1mark\$4)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application USPAT; EPO; JPO; DERWENT; IBM_TDB BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 DERWENT; IBM_TDB) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04					
BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 US-PGPUB;					
BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 US-PGPUB; USPAT; EPO; JPO; 10:16 US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; ISM_TDB BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04	BRS	0	("5892900").pn. and ((bench\$1mark\$4))	US-PGPUB;	2005/03/04
BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 US-PGPUB; USPAT; EPO; JPO; 10:16 US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; ISM_TDB BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04		•		USPAT; EPO; JPO:	10:13
BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 US-PGPUB; USPAT; EPO; JPO; 10:16 USPAT; EPO; JPO; DERWENT; Provider)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04					
BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04					
((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04	BRS	18	(@ad<"20010222").ad, and (mall or portal or clearing\$1house) and		2005/03/04
version)) and ((application or content) near3 (service adj2 provider)) BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04					
BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04	.	0			10.10
BRS 0 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04					
((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 DERWENT; provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04	BPS	0			2005/02/04
version)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04	וסעס	١		•	1
provider)) and ((guest or temporary) near5 (user usage ID login)) BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04					10:16
BRS 18 (@ad<"20010222").ad. and (mall or portal or clearing\$1house) and US-PGPUB; 2005/03/04		•			
, and the second of the second					
((add and delete and update) near5 (software module application USPAT; EPO; JPO; 11:45	RKS	18		•	
	L		((add and delete and update) near5 (software module application	USPAT; EPO; JPO;	11:45

				
		version)) and ((application or content) near3 (service adj2	DERWENT;	
200		provider)) and (duration)	IBM_TDB	
BRS	1	("5892900").pn. and (provider near5 (register\$4 registra\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 10:42
BRS	1	("5892900").pn. and ((run\$5 execut\$4) near5 (applicat\$5 module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 10:43
BRS	2	("5892900").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 10:45
BRS	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 10:53
BRS	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost) same duration) and ((start end) near5 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:25
BRS	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost)) same (settl\$5 distribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:27
BRS	0	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost)) same (settl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:27
BRS	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost)) same (payment\$5 settl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:28
BRS	1	("5892900").pn. and ((utiliz\$5 usage us\$4) same (charge fee cost)) same (payment\$5 settl\$5) same (content adj2 provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:33
BRS	1	("5892900").pn. and ((add\$5 and delet\$5 and updat\$5) same (content software application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:35
BRS	1	("5892900").pn. and ((add\$5 and delet\$5 and updat\$5) same (content or software or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:36
BRS	1	("5892900").pn. and ((add and delet\$5 and (modif\$5 updat\$5)) same (content or software or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:38
BRS	1	("5892900").pn. and (delet\$5) same (content or software or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:41
BRS	1	("5892900").pn. and (monitor\$5 near5 (execut\$5 run\$5 utiliz\$7 usage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:46

BRS	345098	(@ad<"20010222").ad. and (duration or ((start and end) near5 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:45
BRS	1	("5892900").pn. and (monitor\$5 near5 (execut\$5 run\$5 utiliz\$7 usage)) and (duration or ((start and end) near5 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:46
BRS	1	("5892900").pn. and ((start and end) near5 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:50
BRS	1	("5892900").pn. and (icon and screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:53
BRS	0	("5892900").pn. and ((temporary) near10 (user ID login))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:54
BRS	0	("5892900").pn. and (trial near10 (user ID login))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:55
BRS	1	("5892900").pn. and (provisional passing short term short lived provisional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:56
BRS	1	("5892900").pn. and (provisional same passing short term short lived provisional) and (free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:56
BRS	0	("5892900").pn. and (provisional same passing short term short lived provisional) same (free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:56
BRS	1	("5892900").pn. and (free and (without near5 charg\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:57
BRS	1	("5892900").pn. and free and (without same (cost\$4 charg\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/03/04 11:59
BRS	1	("5892900").pn. and (free or trial)and (without same (cost\$4 charg\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/04 11:59